






Engine Polygraph® (enginepolygraph.com)

Users Guide v. 6.50

Nov 2020





This page intentionally blank.

Contents

Introduction	4
Why are the signatures important? The Engine Polygraph® application The EPReader productivity aid Registration Price Key.	8 8
First Time Log in Forgot your password? :	
Home (DASHBOARD)	12
Signatures Searching for a previously stored Signature	
Viewing the Signature file retrieved (if it were submitted as a *.psdata file)	15
Download an Excel spreadsheet of searched signatures	16
Correct a mistake on an index	17
Add a new Signature	18
How do I get a new MANUFACTURER or MODEL added to the Pull-down list?	20
Additional Signatures for a known OWNER-VEHICLE	20
Engine Polygraph Reports	22
Search and Retrieval of Reports Exception Reports	24 25 25
Request a Report for Previously Added Signatures	
EPReader Install	
Administrator Functions	26
USER Management	
Edit User Data and Authorization	28
Add NEW USER	29
Edit Company Create/Extend/Change Subscription Edit Billing Info:	31
Warranty and Disclaimers	32
Contact Us	33
Appendix 1: Glossary	34
Appendix 2: PicoScope Settings for Engine Polygraph Signatures	38

A newer version of this document might be available on our website: www.EnginePolygraph.com .

Introduction

The Engine Polygraph® (www.EnginePolygraph.com) is an application 'in the cloud' to store the FirstLook® sensor output (signatures) from an engine for future reference and to, optionally, request an engine analysis report. To collect the signature data (waveforms), one uses an Engine Polygraph® kit that includes two piezoelectric sensors, an automotive PicoScope, your laptop and the Internet with a subscription to EnginePolygraph.com.

This document covers the functionality of the online web-based application, www.enginepolygraph.com. Other documents describe details of the reports produced and the associated (optional) PC application that simplifies the data collection and editing of the data obtained (the signature), EPReader. Those documents are available for download from the landing page of www.enginepolygraph.com.

A SenX signature (Fig. 1) is a record of voltage from one or more piezoelectric sensors recording pressure changes (pulses) from an exhaust sensor and a crankcase sensor and optionally additional sensors collecting data from other parts of an internal combustion engine. The value to these signatures is that internal combustion engines repeat firing in the cylinders of the engine in a regular fashion. If everything is working well in the engine the pulses repeat in very regular waveforms; however, engine problems usually present variations that repeat every engine cycle (two revolutions for 4-stroke engines).

The user may request an analysis (report) of the data in view of the engine model identified and parameters of the test conditions. Currently the report choices are Assessment, Diagnostic, or none. The Engine Polygraph® reports automate many of the steps that a user would perform manually in interpreting a 'signature': a pair of SenX waveforms from an internal combustion engine: one from the exhaust stream and the second from the oil dipstick tube.

If your engine has an intermittent problem, you might run your PicoScope to collect 32 consecutive waveforms and visually review them, looking for an example of what you think might be the intermittent problem. You can save that single signature and upload it with the ADD Signature function to get a Diagnostic report for that timeframe. (Try to find one that has the abnormality away from the very beginning, but somewhat near the early part of the waveform.)

In Figure 1 on the next page, the signature is from the exhaust (blue) and the pressure in the crankcase (red) from a 6 year old, V6 engine. The vertical dashed bars mark the boundaries of a 720° full 2 rotations of the crankshaft which took 74.02 ms, indicating that the engine was running at 'Load' of 1621 rpm.




Figure 1. A SenX Signature using a PicoScope PC Oscilloscope.

Why are the signatures important?

In a 4-stroke engine, each cylinder of a well-running engine fires once during two rotations of the crankshaft (every 720°); in a 2-stroke engine, every cylinder fires once during one rotation of the crankshaft (360°).

In an engine with a problem of 'physical integrity', one or more (usually one) cylinders output an abnormal pressure, resulting in an irregular pulse that is quite obvious. We use the term, 'physical integrity' to refer to the engine moving parts: head gasket, valves, pistons, rings, cylinders, fuel delivery, or ignition. Depending on where the signature is taken and the nature of the abnormality, the problem can often be identified. In this way, an engine with a mechanical problem can be diagnosed. [If the engine has tripped an OBD code AND the engine shows physical component compromise, the problem might not be correctly identified by the code. Most codes assume that the engine has no mechanical problems (no loss of physical integrity) but might have sensor problems, or ancillary control system problems. If the engine has mechanical problems, the code may well be erroneous.]

Over time, wear and tear on the engine will cause less-than-failure variation from cylinder to cylinder. Most engines are not 'broken', but many are dirty (carbon buildup) or parts wearing out. The cylinder that is changing the most is typically the one that will fail first. That is why it is important to 'look back' at the signatures of an engine over time to identify if one (or a few) cylinders are degrading and might need attention. By looking at the rate of degradation, one can

estimate the future time of failure. In this way, the sensor data can be used for 'predictive failure' to give you the option of preventative maintenance/repair or retirement. You may want to watch the videos on the SenX Technology website: www.senxtech.com.

The Engine Polygraph® application

The EnginePolygraph application is designed for a shop of one or more people (mechanics and technicians) who will take SenX signatures from engines. There are two ways to collect the signature data. One approach can be used if there is not Internet access at the site of the engine being tested. It is described in this document. The other approach that might be used is a PC based software, EPReader, that does require Internet access while obtaining the data but also provides prompts, edits and a much simpler process. It is described in the downloadable *EP Reader Installation and User Guide*.

For the non-Internet method, it is necessary to have the signature stored on your local computer, typically a laptop in the shop with your PC oscilloscope. The local storage of the signature can be done without connection to the internet. The procedure for the non-Internet method is described in the downloadable *Polygraph Quick reference Guide*.

EnginePolygraph allows you to attach 'index' data to the signatures for easy future retrieval; the index data and the signature are then sent to the EnginePolygraph application. EnginePolygraph is a web-based application and database, so it is necessary that your computer be attached to the internet, perhaps at a later time after you have collected the signature data, in case you do not have internet access at the vehicle location when obtaining the signature.

There are three types of user accounts in EnginePolygraph:

- 1. The **Account Manager** holds the credit card for payments and this account establishes the 'umbrella account' for all activity input by other user accounts (usernames) authorized by the administrator(s). The username that creates the Company account is called an Owner.
- 2. An **Administrator** account has authority to establish additional usernames and deactivate usernames for use of the EnginePolygraph application. Administrators are empowered to create additional usernames, assign them as Administrators or not, and change their status (Active or Inactive). By default, the Account Manager is setup also as an Administrator account.
- 3. A **non-administrator** account that is active can search, add, delete, edit, and view signatures and request and view Engine Assessment or Diagnostic reports. This is a typical account for a technician responsible for collecting the signature data (testing the engine) and reviewing the output with an end-customer.

You connect to the EnginePolygraph application with www.EnginePolygraph.com.




Figure 2. Landing page for Engine Polygraph.

Notice that you may select the language you wish to use from the pull-down list of supported languages near the top right of the border panel.

Below the Log-in box, there is a list of documents that you may download by tapping the title. And below that is a list of videos to provide additional information about Engine Polygraph and the FirstLook® sensor technology.

The EPReader productivity aid

Although EnginePolygraph is a complete application enabling data collection, report generation and signature/report storage and retrieval, we also provide EPReader as a PC software to simplify the data collection and transmission to the Engine Polygraph web application. After implementation of Engine Polygraph, you may use it to download and install the EPReader. (See below.) The EPReader Installation and Users Guide can be downloaded from the Engine Polygraph sign-in screen. You can also find the EPReader Quick Start instruction set to summarize the steps when using EPReader to obtain a signature from an engine.

But only the EnginePolygraph internet application contains the screens to register your company, provide administrative functions, and allows access to the history of your signatures and reports.

Registration

The first time you Log in, you must register your company as a new customer and subscribe to the service with a credit card in order to proceed. You will want to read our Privacy Policy and our Terms and Conditions before you actually use the credit card in order to feel comfortable that we will respect you and any data you present to us for safekeeping. As mentioned in the Privacy Policy, you must allow cookies to be active on your computer to enable the 'Remember me?' option for your computer.

If you do register your company for a subscription on EnginePolygraph (EP), you will want to select a **Company Username** that identifies the company; as an administrator, provide **your** name and contact information for communication with us in case of questions. When you advance in the Company and turn this responsibility over to someone else, change the name and contact information on this **Company Username** account to reflect the new person.

As an Account Manager, you may add any other people you authorize (or remove authorization) to have Admin or Account Manager Authority.

As an Administrator, you may add any other people you authorize to access any of the signatures that anyone in your shop inputs to the database. Any user so authorized can input new signatures or change the index content on previously entered signatures. They may also request EP Analytics Reports. So it is important that you have each person in your shop who will need access to have their own username and password.

But first, you must register your company and yourself as administrator. Fill out the NEW CUSTOMER REGISTRATION screen (Fig. 3):




Figure 3. Screen image for 'Register as a new company'.

You will notice that when you identify your company's Country by selecting an appropriate entry from the pull-down that the appropriate State/Province/Region codes will appear for you to select the one that is appropriate for your country.

Price Key

On the NEW CUSTOMER REGISTRATION screen, you will see the **WELCOME** Price Key. Your EnginePolygraph distributor might have provided you with another Price Key to give you an alternative pricing program with a different balance between subscription and reduced assessment report prices. You may enter that Price Key into the PRICE KEY field and SAVE it, then the appropriate pricing will be applied.

After you have completed the registration, you are presented the CREATE SUBSCRIPTION page.




Figure 4. Billing information to provide credit card information for secure payments for any subscription fees and Engine Assessments.

After you submit a valid credit card for processing, you will be presented the following screen (Figure 5):



Figure 5. Dashboard Menu for a successful newly registered customer.

You might want to click on **USERS**, then **Add New User** to add the others (mechanics and technicians) in your organization to authorize them to have access. You may assign them a password which they will have to change when they first Log in, or you may request that the system generate a random password and send it via email to them. They will have to reset the password on the first time that they Log in.

You may authorize anyone else to also be an administrator; just don't revoke your administration authority before you have authorized someone else to take over that responsibility.

First Time Log in

A newly authorized person can Log in to EnginePolygraph using the password assigned by the administrator; however, the User must reset the password before he/she can perform any other system function. Use the My Account option on the DASHBOARD panel to change contact information or reset your password. (Or you may click on your username in the upper right of the screen to get the My Account screen.)

Forgot your password?:

If you forget your password, click on the Forgot Password link on the Landing page. You will be presented a screen requesting your Username.

- 1. If you enter a valid Username, the system will send an email to the email address in that Username record.
- 2. The email will contain a link to use to reset your password. The link is unique to your account and will expire after 24 hours.
- 3. Click on that link, then enter and confirm your new password on that page.

Home (DASHBOARD)

The following is the typical DASHBOARD that a technician/mechanic will see upon Log in. (Fig. 6.)




Figure 6. Dashboard/Menu presented to a successful log in by a technician.

Signatures

There are two times when it is important to retrieve a previously stored signature. First, if a customer comes into the shop with a vehicle that you have previously serviced, you might look up the details of that previous signature to save you time entering details about the vehicle and its engine again. Secondly, after you have completed storing the signatures for a vehicle, you will probably want to compare these new signature reports with the signatures that you have previously stored for the same vehicle. By comparing the differences, deterioration of various components over time might be visible.

Searching for a previously stored Signature

Upon entry, the Signatures panel shows a table of the most recent signatures stored from your shop. Upon visual inspection you might find the signature that you are interested in, especially if you are adding one or more signatures to a vehicle that you have recently worked on. You may select either the edit or delete buttons, depending on your situation. (See Fig. 7.) If you look at the details by clicking the edit button, you can then click on the tab button SIGNATURES to get back to the signatures panel. Then click on the Add New Signature button and many of the data elements from the record that you selected for edit will be on the add screen. (Be sure to verify the ODOMETER, RPM Source, RPM, and TEMPERATURE fields as they may well be different from the previous signature.)



Figure 7. EDIT and DELETE buttons are on the left side of the screen.

On the SIGNATURES and ASSESSMENTS screens, additional data shows when you 'mouse over' the data shown for each row. As shown below in Fig. 8, VEHICLE has OWNER identification; the PURPOSE describes the purpose of the specific signature on that line (Single if it is one-off, Before if it is taken prior to a maintenance procedure, After if it is taken to show engine 'health' after a procedure, and Base if it is an 'as-new' signature for this engine model). The vehicle ODOMETER has engine RPM and coolant TEMP (temperature) values at the time of the Signature in the 'mouse-over' box; likewise, (Engine) MODEL has MFGR (engine manufacturer), CONFIG (configuration), and engine DISPLACEMENT in liters; DATE has LOCATION (identification of the place when and where the test was done); CONDITION has the associated Pico Channels and how they are attached to the sensors; and FILE provides any COMMENTS entered by the technician pertaining to this Signature and the psdata FILE title. If you click on the FILE icon, the psdata file will be downloaded to your workstation.




Figure 8. Example of results of a 'mouse over' of data in column ODOMETER in the first row.

If the signature you are looking for was stored some time ago, you may want to select the "Search Engine Signatures" on the upper right of the panel. Then a Search Specifications box opens for you to select the columns you wish to search for specific values or ranges.



Figure 9. Search request box on upper right of the screen.



Figure 10. Search Drop-down panel.

Add Filters as desired. Each added Filter is a further restriction on what will be returned.




Figure 11. Example of search box for a numeric value between a lower and upper limit to the search.

As shown in Fig. 11 and 12, the limits you may place on the contents of each field depend on the characteristics of the field. For example, fields that contain numbers can be limited by specifying a low value and a high value that you are interested in. (If you wish to say less than a particular value, use the low value as a large negative number or zero, and the higher value would be set to the highest value that you are interested in.) Fields that just have text can be limited to those that contain a word, phrase, or portion of a word; a record will be returned if whatever value you specify can be found in the field. If the field comes from a pull-down list, you may select a value from the list as the requirement for that the field. If you wish to search on a date field, you must specify the earliest date to the latest date of the records you are interested in.



Figure 12. Example search with pull-down, value ranges, and Date parameters.



In Fig. 13, we show the row(s) that satisfy the search criteria.

Viewing the Signature file retrieved (if it were submitted as a *.psdata file)

On the right on the Search Results panel you can see the FILEs associated with your search Filters (Figure 14). Click on the FILE (Signature) icon for a panel allowing you to specify where you want the Signature stored. You may then open the signature for viewing by the oscilloscope software that you used to capture the signature. In this example, we will select an above referenced FILE:




Figure 14. Identification of the Signature file with active link to download it.

You will be prompted to specify the file name and directory for the signature that you have selected. (You must have the PC Oscilloscope software installed on your local workstation to view the file.) "Save" the FILE as shown in Fig. 15.:

"Double click" (or Open) the button on the bottom left to initiate the signature viewer (Fig. 15).



Figure 15. Link to open the Oscilloscope software on your device.

Figure 16 shows the screen image from a PicoScope of a SenX FirstLook Signature.




Figure 16. Image of a Signature of a V6 as displayed by PicoScope.

Download an Excel spreadsheet of searched signatures

You may want to extract the results of your search into an Excel spreadsheet. Actually, a csv file (comma separated variables) will be stored. To do this, click on the EXPORT button on the lower left of the screen that has the results of your search and Save the file.


You may open the spreadsheet by "Double click" on the csv file name. (Fig. 17)

Figure 17. Button to request a download (Export) of the data supplied to the display in a csv file.

The spreadsheet file contains some additional columns. The username of the index entry creator and the creation date are displayed along with the last update username and last update date time. These columns can be very useful for tracking down questionable entries.

Correct a mistake on an index

To reset the list of signatures back to the beginning state (before the search), click on the SIGNATURES tab on the top of the screen. To correct a value on the index data, click the "EDIT" button on the left side of the row to get a panel loaded with the data of the index (Fig. 18 on the next page).



Make any appropriate corrections and click on the "Save" button on the bottom. In the above example, it might be to correct Index data for the previously loaded signature. Notice that you may request a report from this screen in case the previous request was not processed because of an erroneous entry in one (or more) fields: RPM, channel assignments, ...). Typically, you will want the previously submitted file to be used for any new report, so you would **not** upload the old file. In that case, you would not be charged for the new report; if you do upload a new file, you will be charged according to your price key. If you are signed in with a different language than the language that was used on the original entry, the report will be translated to your language. (This language translation is just being implemented so the completeness of the translation will be improving over time.)

All fields on the screen must have an entry except unused channels, RPM (depending on the RPM Source), and the Remarks field which are optional.




Figure 18. Signature EDIT screen with data from a selected signature, ready for edit.

Add a new Signature

It is important to add the index information to a new signature as soon as possible after the signature has been obtained (or you may fill the screen before obtaining the signature; obtain the signature and then upload it on the Add Signature screen). The fields that contain description of the owner, vehicle, date and location are remembered from the previous entry. Some of the time, one takes several signatures from one vehicle under different conditions before starting on another vehicle. The engine speed (RPM) and engine temperature typically change somewhat between signatures.

To add a new signature, click on the "Add New Signature" button on the top left side of the panel. The Add panel will typically contain data from the previous entry. Modify the index data as appropriate and attach the newly obtained signature file. Then "Save". It is necessary to input values into each field on the screen except for unused channels and the optional Remarks field.

First time for this OWNER

There are two types of owners of the vehicles that you service. The owner might be the name of a fleet, in which case it is important that the name be typed correctly for future reference. Or the owner might be an individual with a personal vehicle being serviced.

If this Owner (your customer) is new to EnginePolygraph, it will be assumed that the Owner is NOT already an Engine Angel customer with pre-paid access to assessments of vehicles in that fleet. If, however, the fleet owner is an Engine Angel customer, the Owner has screens in Engine Angel to 'connect' your EnginePolygraph to their Engine Angel system so assessment report data will flow from your EnginePolygraph to their Engine Angel databases. [You would be registered as a 'Data Provider' to your customer on their Master Data \rightarrow Data Connections \rightarrow External Data Provider screens.] If you need more information, contact the Engine Angel Sales team (support@PredictiveFleetTechnologies.com) to help 'connect' the Owner's identification with the Engine Angel fleet identification.

As you type the Owner identification, the system will display previous owners also named that way. This is not only to minimize the 'misspelling' of a previous Owner, but to determine if the Owner is a subscriber to Engine Angel with rights to pre-paid assessments. The pre-paid assessments apply only to vehicles that have been registered in the Engine Angel fleet.

Engine Angel customers

If your customer is an Engine Angel customer as well, and they have set you up as a Data Source for providing EP signatures for them, your screens will have some additional features. The vehicle brought in is most probably known to Engine Angel as a Vehicle registered in their Fleet. When you put their Fleet identification in the Owner field, their Fleet ID (as known by Engine Angel) will be displayed on the right top portion of the screen and there will be checkmark alongside the 'Engine Angel Subscriber' to indicate that they have prepaid for reports.

If the Vehicle ID is found on their list of vehicles, the Vehicle ID will appear in black. Otherwise the vehicle is displayed in red, which indicates that this vehicle is not on their list of vehicles. They might be asking for an assessment of a used vehicle for consideration to buy – or it might be that the Vehicle Id is not correct. See Fig. 19 for an example of Vehicle ID 184 that is registered to the Owner of Fleet ID = DemoFleet1.




Figure 19. Display on Add or Edit Signature when the Vehicle is part of an Engine Angel Fleet.

First time for this Vehicle

You will want to establish a convention for your shop for identifying vehicles. In the case of fleet vehicles, a vehicle number is usually painted on the door, fender or hood; for individuals, a license plate number might be appropriate.

If the Owner is not an Engine Angel subscriber, the user will be asked to provide the engine manufacturer and model.

If the Owner is an Engine Angel subscriber, the Vehicle Id will be checked on the fleet's list of Engine Angel registered vehicles. If it is found, the engine manufacturer and model, configuration, and displacement (liters) will be provided. If the Vehicle Id is not registered to the fleet, it will appear in red on the request screen and if 'accepted' by the user, the user will be asked to provide the engine manufacturer and model.

In all cases, the system will pick up the number of cylinders and the number of strokes from the Engine Angel engine databases. If the Diagnosis report is requested, many more engine specifications will be obtained from the Engine Model table.

How do I get a new MANUFACTURER or MODEL added to the Pull-down list?

If the pull-down list provided for manufacturer or model does not contain values for your customer's vehicle, please send an email to support@PredictiveFleetTechnologies.com. In the interim, make note of what you need in the Comments field for that signature and choose a different model with the same configuration, number of cylinders, and similar displacement. After Engine Angel has updated the pull-down list, we will let you know so that you may edit these entries.

Additional Signatures for a known OWNER-VEHICLE

If you are adding multiple signatures for the same owner vehicle, simply click the Add New Signature button after you have Saved the previous entry. The data elements describing the owner and vehicle will be copied forward. You will want to review all the data copied forward to make sure they are <u>all</u> correct.

The **Location** entry will rarely require change if the shop name is used; the **Measurement Date** is pre-loaded to today's date, so if this is an entry for a signature from times past, replace the current date with the correct date for the signature.

The **Odometer** reading probably will not change between multiple signatures for the same vehicle on the same date. But be sure to verify it. The engine coolant **Temperature** is also important to know because some interpretation (especially for diesels) is dependent on the engine temperature. If the input value is under 105, it will be interpreted as °C; otherwise as °F.

Condition is important to be correct for valid interpretation of the signatures. For example, the blow-by is greatest in a cold-crank ('c-c') near the end of a compression stroke, but it is maximum in the power stroke during a hot test ('Idle' or 'Load'). The **RPM Source** is a selection from a pull-down of options. Choices include:

- a. **None** indicates that you want the system to provide a default that will be obtained based on the Condition and number of cylinders. **RPM** may be left blank.
- b. **Estimate** means that you will input a value for **RPM** that is based on reading a tachometer or other method to provide a reasonable RPM value.
- c. **ECM** means that you have a Bluetooth ECM reader plugged in to transmit the engine RPM to the EP Reader while the signature data is collected. **RPM** may be left blank.
- d. **Set RPM** means that your engine has a digital input to command the ECM to control the engine speed that you specify to the digital throttle. You then also provide that value to the input **RPM** field.
- e. **Trigger channel** (not yet implemented) means that you have assigned an ignition detection device (such as an induction coil to provide voltage to a coil-on-to or spark plug) as one of the channels on the PicoScope,

If the **RPM** is known accurately, it is valuable in the interpretation of the signature. In the case of RPM, if the value input is less than 200 or greater than 6000, a report will not be generated; otherwise, it may be used in the RPM calculation process. If it is more than 15% off from the actual engine speed, it may make the calculation worse.

The 'Channel x' fields need to be aligned with the oscilloscope channels and how they are attached to the sensors. If you happen to discover a mix-up on the assignments after the fact, you may use the EDIT button on the Signatures screen to submit a revised assignment and get a new report.

You typically will want to record the **Purpose** for the requested report: 'Before' indicates the signature is being taken before some procedure is to be considered; an 'After is for a report on the engine 'health' following the procedure. Choose 'Single' if the report is a routine evaluation of the engine without an intended maintenance procedure that will be validated after the procedure; 'Base' is used to report an 'as new' engine report for future reference.

The **Trigger Cylinder** is important if you have a sensor for identifying ignition events. If your sensor (often a current induction clamp or a spark antenna) is designed to detect the ignition events on only one cylinder, input the cylinder number that is monitored; if the sensor records the events for multiple cylinders, do not specify any one cylinder. The trigger signal is used to calculate RPM; but if one cylinder can be uniquely identified, it can be very useful in identifying which cylinder(s) has/have diagnosed conditions.

You may want to input **Comments** to further uniquely represent this signature in the future or to 'group' the signatures for your particular analysis or organization needs.

You chose the report you desire in the **Report Selection** pull-down: Assessment, 1-pg Assessment, Diagnostic, or 'none'. If you chose a report, a 'Send Report (PDF) to:' email address will be requested.

Engine Polygraph Reports

Engine reports are produced from analysis of certain signatures. There are currently three reports available for selection. The Engine Polygraph® reports automate many of the steps that a user would perform manually in interpreting a 'signature': a pair of FirstLook® waveforms from an internal combustion engine, one from the exhaust stream and the second from the oil dipstick tube.

The **1-pg Assessment** report is a short, one-page report showing the 'highlights' of the more complete Assessment report for readers not needing the textual narratives associated with the report content.

The **Assessment** report (and the **1-pg Assessment)** is an analysis of a signature with simultaneous 'exhaust' and 'oil tube' pressure sensor readings that calculates 'scores' with values from 1 (very good) to 9 (very poor) ranking 6 quality 'measures'. The scores are generated from a mathematical model 'trained' with examples of data from engines with assignments made by experts. The report is available as a PDF, and if the Owner is a subscriber to Engine Angel, the results are stored in the database to show time-series graphics of the scores over time.

In addition, both versions of the Assessment report contain graphical representations of the PicoScope data: The **model graphics** of the exhaust and crankcase pressure changes over one engine cycle between the red, solid bars with the cylinders segmented by red, dashed vertical lines. The low frequency 'pressure' changes are displayed in green lines over the complete, black waveform that includes the higher frequencies detected. The **points graphs** show key variables from each cylinder to represent the similarity of the cylinders (inside the green circle is good; outside the yellow is getting pretty bad. The **profile graphs** plot the <u>pressure</u> over time for each cylinder.

The scores are: an overall engine score and scores for the upper engine (valves, injectors, head gasket, ignition), engine volumetric efficiency score, and a score for valve seating leakage; and scores for the lower engine (rings, pistons, cylinder walls), rumble (humming), and scraping (high frequency screeching). The overall score is indicating the current state of the engine and a measure of risk that one of the monitored components will fail soon – it is NOT a measure of the remaining life of the vehicle although that is related.

The Assessment report contents are described in a separate document, *EP Assessment Report*, available for download from www.EnginePolygraph.com.

The **Diagnostic** report is an analysis of the data from a 'Signature' file of data, data about the engine model being tested, and some test conditions data. The report evaluates the 'physical

integrity' of the engine AND an Expert System evaluates 'Abnormal Observations' detected to produce a list of possible causes of the Abnormal Observations along with a confidence that the indicated cause is correct and suggestions that might remedy the problem.

Currently, the system will produce reports for signatures with *exhaust* and *oil tube* sensors in the *Load* (running at about 1500 rpm), *Idle* or 'c-c' (cold-crank) condition. Optionally, a channel can be assigned to the *trigger* sensor (usually a clamp inductor to detect current in a spark-plug firing or an injector signal for a specific cylinder). A fourth channel can be assigned to another sensor (e.g., an intake manifold or vacuum line); however, any additional waveforms will only be displayed on the report. It is not (currently) included in the engine <u>analysis</u> for the report.

The Diagnostic report also displays information about the engine model that is being analyzed. This includes an engine block diagram, firing order, cylinder adjacency matrix, and the cylinder offset diagram relating the stroke of each cylinder as the crankshaft rotates through the firing cycle. In addition, distinctive engine technologies and common problems are listed as they become known to PFT.

The Diagnostic report contents are described in a separate document, *EP Diagnostic Report*, available for download from www.EnginePolygraph.com.

Search and Retrieval of Reports

Previously processed reports can be displayed from the Assessments tab, as shown in Fig. 20, below:




Figure 20. EnginePolygraph Assessments screen

A report can be in a 'processing' state, indicating that the report request has been sent to, but not yet processed by the system. Once the assessment has been received (usually in less than 2 minutes), the signature is shown with the **View** and **Email** options. The View button (eyeball) will start a 'download' process to your workstation for local storage and viewing. The email option allows easy email capability to send the PDF report as an attachment to a provided email address.

If the submitted signature does not have data that can generate a meaningful report, the system will produce a PDF 'Exception' report describing the issue and suggesting corrective action. You will not be charged for a request that results in this circumstance. The most common reason for inadequate data in the signature file for a meaningful report is that the PC oscilloscope settings might not be appropriate for the engine you are working with. Please review the Appendix: **PicoScope Startup Settings** if you want more information. This issue is largely eliminated by use of the EPReader PC application that is free for download, but does require Internet access.

Exception Reports

As mentioned earlier, if the analysis program is unable to reliably provide a useful report from the submitted data, you will receive an Exception report on the Assessments screen. The Exception reports are highlighted as a yellow box. The PDF report is downloaded when you click on the yellow button.

The nature of the problem and corrective action you might be able to take is provided in the report. See Fig. 21 for an example Exception report as it presents on the Assessments page. Fig. 22 has the Exception report for the situation of Fig. 21.




Figure 21. Assessments page showing a signature that could not be interpreted enough to generate a useful Assessment report.



Engine Polygraph Exception Report

Signature file (acc8427a-bfc4-40cf-916b-dd95059fd705) did not produce a Report.

It appears that your Voltage scales are too small. Too many readings exceed the limits of your display for us to estimate the peaks. Change the channel Voltage settings for the channel(s) going off the display and upload a new signature.

Date Saturday, July 18, 2015 10:43:20 AM

Owner GarberTest Vehicle ID FordPowerStroke

File Name acc8427a-bfc4-40cf-916b-dd95059fd705.psdata

Figure 22. Example message presented on the Assessments page when the software is unable to process a submitted signature for analysis.

Request Reports

The reports can be requested for new signatures when adding and for previously entered signatures. In both cases, the request is made on the Add/Edit screen. (This is different from requesting a copy of a previously generated report, which is detailed on the Assessments page.)

Request Report while Adding New Signatures

If a new signature add is made for an Owner (customer) who is an Engine Angel subscriber and the vehicle identified has been registered to the fleet, and the user has requested a report, the system will generate the requested report and the Engine Angel databases and on-line reports will be updated after it has been produced. There will be no charge since the Engine Angel subscription covers the cost of reports. Of course, there are situations when the data does not support the generation of such a report – the signature may be empty, it may not have the sensors identified correctly, etc. In such cases, you will not be charged for the attempt but will receive an Exception report describing the situation with recommended action to get a useful report.

If a signature is being added for an Owner (customer) who is not an Engine Angel subscriber, the user may request a report to be generated, sent to an indicated email address, and posted on

the Assessments page. The account for the EnginePolygraph subscription will be charged for the indicated amount.

If a new signature add is made for an Owner (customer) who **is** an Engine Angel subscriber and the vehicle identified has **NOT** been registered to the fleet, the user may request a report to be generated, sent to an indicated email address, and posted on the Assessments page. The account for the EnginePolygraph subscription will be charged for the indicated amount. (In other words, the report data will not be sent to Engine Angel because that vehicle is not in the Fleet's database. The fleet owner might be evaluating the engine prior to purchase.)

Request a Report for Previously Added Signatures

From the Signatures page, one can access previous signatures and request an updated report to be delivered by PDF. (It might be worthwhile to first use the filters to search on the Assessments page to see if the signature assessment report has already been generated so that it might be merely downloaded.)

Once the signature has been found on the Signatures page, select **Edit** and make any corrections or add a comment, if desired. You MAY upload a new signature to replace the existing one in the system, but this is expected to be rare. If a replacement signature is uploaded, it will replace the earlier signature and its report and the new report will record as a new signature for charge. The typical situation for edits is that you would not upload a signature, in which case the system will use the previously uploaded signature and no charge will be incurred. If the Owner were not an Engine Angel subscriber at the time of the signature upload but now is, the signature will be sent for a report but the report will not be sent to the Engine Angel subscriber.

EPReader Install

The Engine Polygraph Reader Install button initiates the process to download to your PC the EPReader application to simplify the collection of the sensor data and to send that data to the Engine Polygraph web application for processing.

The EPReader Installation and User Guide and EPReader Quick Start can be downloaded from the Documents list on the login page.

Administrator Functions

If you are authorized as an administrator, this section will be of interest to you. As an administrator, you are responsible to maintain the authorizations of the staff (USERS) in your company/shop. At least one person in the organization must have the administrator authorization.

The other responsibility that you have as an administrator is to maintain the company information and keep the subscriptions active. Engine Polygraph has an automated charge from

your credit card monthly and an email is sent to the Company contact when the charge (any monthly subscription fee plus individual assessment fees for the past month) is posted.

USER Management

It is important to add new mechanics/technicians to the system as soon as they start to work. All users must use their own username and password to access the system in order to provide audit trails to clear up confusion and mistakes. If there are delays in adding a new employee, it becomes tempting to have the new employee use a username and password of an existing employee, creating bad habits.

It is also very important to explain to your employees that the data they are collecting about the owners and vehicles is confidential and not to be shared outside of work.

It is important to deactivate employees when they leave the organization and to remind them before they leave that they are obligated to respect the proprietary nature of the data they were exposed to.

Search of UserNames

There is a search function for the employees who have been added to the roster of authorized users. For large shops especially, is important to use the search function before adding a new username to minimize confusion in the future. See Fig. 23. You may put any string of letters in the Search field to return only records containing your search string.




Figure 23. Screen showing list of Usernames authorized for the EnginePolygraph of your 'system'.

Edit User Data and Authorization

The administrator will use the edit function of the Users List screen to change the contact information or status of an employee from active (yes or no) and to assign or remove admin authority. See Fig. 24.




Figure 24. Edit or Add screen for maintaining or adding User profiles for your system.

Add NEW USER

When adding a new username to the system, the administrator may assign a password and communicate that password to the new employee verbally, or the administrator may request the system to send an email to that new employee with a random password. In either case, the new employee will have to reset the password on his/her first Log in. (See Fig. 25.)



Fig. 25. The password format requirements show when the cursor is entered to the password fields.

The cursor will not allow you to proceed if you input a password request that does not satisfy the requirements edits in the pop-up window.

Edit Company

The Account Manager is responsible to maintain the correct Price Key (with appropriate subscription and Assessment report prices). That data is available on the Edit Company screen as shown in Fig. 25. The link at the bottom of the screen, Change your billing information, is used to update your credit card information. If you change a Price Key, the price data will update after you SAVE the change.





Figure 25. Edit Company screen to maintain Company contact information and presented Price Key name.

Prices for the monthly subscription plan and the OOR Assessment reports are determined from the Price Key that was provided when your registration was completed, or when last updated by a new Price Key or when your distributor provides a new version of the Price Key.

The Account Manager is also responsible to maintain the correct contact information for the company to allow communication between your company and Engine Angel. That data is also available on the Edit Company screen.

Create/Extend/Change Subscription

The subscription plan is for unlimited uploads, searches and downloads within your organization. The 'per/month' charge is applied to the credit card specified until the credit card expires or the subscription is terminated.



Requests for Assessments are charged to this account when an Assessment report is completed.

Edit Billing Info:

Changes to the credit card information can be made from the 'EDIT COMPANY' tab and 'clicking on' the 'change your billing information' option on the lower part of the page. See Fig. 26.

Figure 26. Window to securely provide changed credit card information for monthly payment of any subscription and Assessment report charges.

Warranty and Disclaimers Predictive Fleet Technologies Inc. (P.

Predictive Fleet Technologies, Inc. (PFT) warrants the software will work as described. The warranty does not cover any problems with the Internet connection or your common-browser (Internet Explorer, Chrome, or FireFox) compliant workstation (desktop, laptop, or tablet). We will store your signatures, up to 10 meg (typical values are under 400 KB), and maintain them in a searchable and retrievable manner as described in the accompanying document. We use standard security, data and application backup & restore methods to protect your data investments from most natural and criminal events. If data are deleted or changed by people whom you have authorized, we cannot guarantee recovery.

The Engine Polygraph® Assessment report automates many of the steps that a user would perform manually in interpreting a SenX FirstLook® (FLS) waveform from an internal combustion engine. It requires a waveform of adequate strength and sample frequency generated by the customer's oscilloscope such that meaningful information can be detected from the signal. Meaningful results can be expected only if the testing procedure is correctly followed; e.g., the connections of the cables are reliable, the equipment (oscilloscope, cables, sensors, etc.) work satisfactorily, and the oscilloscope parameters are set to reasonable values of duration (about 4 rotations of the engine crankcase), sampling at about 40kHz per channel).

It is also required that certain inputs to the EnginePolygraph report request be accurate: the engine manufacturer and model must at least have the correct engine configuration & strokes per cycle and the approximate RPM input to the EnginePolygraph application is assumed to be within +/- 15% of the actual value.

The Engine Angel Assessment is NOT designed to measure misfires due to conditions such as poor fuel or irregular ignition. The Engine Angel software looks for defects that are measurable with each engine configuration (in-line, 'V', etc.) of either cycle (2- or 4-stroke).

The Assessment report uses advanced mathematical methods to classify the cylinder features extracted from the signatures: one from the exhaust and the other from the crankcase, usually via the oil dipstick tube. It is required that the oscilloscope channels are assigned correctly, in alignment with the connections and placement of the FirstLook® sensors. If the exhaust system has holes allowing exhaust to prematurely escape before reaching the sensor, or if particulate filters reduce or 'average' the pressure at the sensor to a very distorted level, meaningful results will not be achieved. Upon receiving a meaningful signature file, the Assessment report will display the results of a 'supervised learning' software to classify the condition of the engine's 'upper' and 'lower' components based on observation of many other engines. The measures of volumetric efficiency and valve seating condition are based on other methods. These classifications will likely improve over time and newer versions (as displayed on the report) will provide those improved results when available to you, the customer.

It is up to you to decide what action you should take based on the requested report. The recommendations we make are based on feedback from others' experiences. PFT is not liable for

damages resulting from the implementations of such recommendations; we provide them to you for your judgment in decisions on what to do.

THERE IS NO WARRANTY OF MERCHANTABILITY. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION HEREIN. THERE ARE NO WARRANTIES EXPRESSED OR IMPLIED OR ANY AFFIRMATION OF FACT OR REPRESENTATION EXCEPT AS SET FORTH HEREIN.

REMEDY

If you suspect that there has been an error in the storage, indexing, assessment or retrieval of your data, please contact us immediately at support@PredictiveFleetTechnologies.com and/or contact us by phone: 1-833-364-2645. We will work with you to understand what happened and what recovery plan we can put in place.

In no event shall PFT be liable for damages of any nature, including incidental or consequential damages, including but not limited to any damages resulting from non-conformity, defect in design or workmanship.

Neither PFT nor its affiliates shall be liable to the subscriber of this product or third parties for damages, losses, costs, or expenses incurred by the subscriber or third parties as a result of: accident, misuse, or abuse of this product or unauthorized modifications, repairs, or alterations to this product, or failure to strictly comply with PFT's operating and maintenance instructions.

Contact Us

Learn more about us at www.EnginePolygraph.com, and www.EngineAngel.com.

For specific questions about the Engine Polygraph® functionality, please email us at support@PredictiveFleetTechnologies.com or call us at 1-833-364-2645.

No part of this publication may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, to parties outside your organization as a customer or customer prospect without the prior written permission of PFT.

¹ SenX is a trademark of SenX Technology, Inc., Midland. MI

²Predictive Fleet Technologies®, PFT, Engine Angel®, and Engine Polygraph® are trademarks of Predictive Fleet Technologies, Inc., Inc., Midland, MI

Appendix 1: Glossary

table

Block Layout

Engine Polygraph® Glossary

Abnormal Observations	Abnormal Observations are values obtained in the analysis of the data that are outside the 'very good' limits determined for the engine and operating conditions. When outside the limit, a value is 'binned' within 3 grades worse either above or below the limit. (See
Observations	'Possible Causes')
Administrator	An administrator is an employee of a company (customer of EnginePolygraph) who has authority to pay for EnginePolygraph subscriptions, add new users of EnginePolygraph for the company, and to change the authorizations of the users of EnginePolygraph.
Predictive Fleet Technologies	Predictive Fleet Technologies is the name of the company that developed, supports, and operates the Engine Polygraph® software .
Assessment report	Assessment is the analysis of a 'Load' condition signature with simultaneous 'exhaust' and 'oil tube' sensor recordings that calculates 'scores' with values from 1 (very good) to 9 (very poor). The information is available as a PDF, and if the Owner is a subscriber to Engine Angel, in the database for time series graphics of the scores over time.
Assmnt rate (Assessment rate)	The price that the customer will pay to obtain an EnginePolygraph Assessment report IF the customerPrice Key indicates that the customer wishes to pay on a 'per report' basis. It is passed to invoicing for OOR reports if the Price Key indicates 'Credit'.
CHANNEL x	The channel identifier tells which of several SenX FirstLook® sensors is attached to which channel on the oscilloscope. The options for where to place the SenX first look sensor are provided in a pull-down.
COMMENTS	Comments are free text entries on a signature index to help retrieve them in the future.
Company	A company is the paying customer of an EnginePolygraph subscription. It typically is a vehicle maintenance/repair facility. It may have one or more locations, but multiple locations should each have their own subscription unless their customer vehicles are serviced at multiple locations.
Confidence	Confidence (that a specific Cause is present in this engine at the time of the signature) is assigned based on the number and severity of the Abnormal Observations attributed to a Cause compared to the total number and severity of all Abnormal Observations identified from this signature.
CONDITION	The condition of an engine describes the state of the engine during a single signature file. The values are obtained from a pull-down, including idle, load, and cold crank (c-c). Idle is typically under 1000 RPM, load is about 1500 RPM, cold crank occurs when the engine is turning over under the power of the starter.
CONFIG or Engine Configuration	Config is short for configuration. The configuration of an engine describes the number of cylinders in the orientation of the cylinders with respect to each other. Its value is obtained from the EngineAngel database for the selected engine model. (E.G., V6 or I4)

Cylinder Offset Diagram	A graphical representation of the stroke each cylinder is in at any angle of rotation during its engine cycle.
DATE	Date is short for 'measurement date'. The measurement date is the date when the associated 'signature' file was created using the Engine Polygraph sensors.
Diagnostic report	The Diagnostic report is an analysis of the data from a 'Signature' file of data, data about the engine model being tested, and some test conditions data. The report evaluates the 'physical integrity' of the engine AND an Expert System evaluates 'Abnormal Observations' detected to produce a list of possible causes of the Abnormal Observations along with a confidence that the indicated cause is correct and suggestions that might remedy the problem.
DISP or Displacement	Disp is short for displacement. The displacement of an engine is the volume swept out as the pistons move up and down one time for each cylinder. It is provided by the system from the Engine Model database and reported in liters.
Distributor	A company that sells Engine Polygraph kits who have an agreement with Predictive Fleet Technologies to offer their customers 'Price Keys' with special pricing and terms for the customer and with commission terms that Predictive Fleet Technologies promises to pay the distributor.
Engine Angel	Engine Angel® is the name of the software produced by PFT to analyze the signatures. See $\underline{www.engineangel.com}\;.$
Engine Angel Report?	The 'Engine Angel Report?' is a question asking if the system should generate a Report. There is the normal charge for the Fleet Engine Angel account if the Owner is an Engine Angel subscriber, or the Engine Polygraph subscriber's account will be charged if the Owner is not an Engine Angel subscriber for EP reports.
Engine Angel Subscriber	Engine Angel Subscriber is a checkbox filled by the system when it recognizes the Owner you have input as the same as the Fleet ID in Engine Angel. This causes new adds (when the Vehicle ID is known as belonging to the Fleet ID) to analyzed by Engine Angel and the Reports sent to the Fleet ID database of Engine Angel.
Engine Block Layout	An Engine Block Layout is a diagram of the specified Engine Model with cylinder numbering as known to PFT.
Engine Features	Ignition method, Firing Order and cylinder-to-bank assignment are provided by PFT when known.
Engine Flaws	Common Engine Flaws for an Engine Model and time-period are listed for the user's consideration when made known to PFT through manufacturer communications or mechanic blogs.
Engine Poly Purpose	Engine Poly Purpose is a selection from a pull-down to indicate the purpose of this signature: <i>Single</i> if it is a 'one-off'; <i>Before</i> if it is preliminary to a planned 'procedure'; <i>After</i> if it follows a procedure; or <i>Base</i> if it is an 'as-new' signature for future reference for deterioration.
Engine Polygraph	Engine Polygraph® is a trademark for the use of EnginePolygraph.com to compare the 'before repair/treatment' with an 'after repair/treatment' to demonstrate the effectiveness of the work done. URL is www.enginepolygraph.com .
EP Reader	EP Reader is a PC software to aid in the reliable collection of engine signatures for analysis and reports provided by the Engine Polygraph and Engine Angel Internet applications.
FILE	File is the name of the file created by the oscilloscope. It contains the details of the waveform generated by the FirstLook® sensor.

FirstLook	FirstLook® is the registered trade name of the sensor product produced by SenX Technology.
Fleet ID	Fleet ID is the identifier of the Fleet that owns the Vehicle being tested as known in the Engine Angel application.
Free Assmnts (Free Assessments)	The number of 'free' assessment reports that the customer can expect in the first month following the customer registration.
LOCATION	Location is a description for the shop or garage where the signatures are collected.
MANUFACTURER	Manufacturer is the name/acronym of the engine manufacturer. It is selected from a pull down list. Although most of the engine manufacturers can be determined from the vehicle brand/manufacturer, buyouts and joint ventures can 'cloud the waters'. In rare cases, you may need to search the internet to pin down unusual situations.
MODEL	Model is an identifier of the engine model manufactured by the selected engine manufacturer. It is selected from a pull down list of the models previously made by the Engine Manufacturer.
ODOMETER	On the vehicle odometer at the time of the visit when the signatures are taken. It is quite important that either kilometers or miles are consistently used for all vehicles maintained by the company.
oscilloscope	An oscilloscope is an instrument that converts the analog signals to a voltage from the FirstLook® sensor to a digital value that is recorded in the file.
OWNER	The <u>Owner</u> identifies the vehicle owner or Fleet name. NOTE: If the name you enter in the Owner field is the name for a Fleet that has a subscription to <u>Engine Angel</u> Fleet Management software and has requested that your company provide reports, the Fleet name will appear in the Fleet field and the Engine Angel Subscriber box will be checked.
Polygraph	Engine Polygraph® is a trademark for the use of EnginePolygraph.com to compare the 'before repair/treatment' with an 'after repair/treatment' to demonstrate the effectiveness of the work done.
Possible Cause	A Possible Cause is text describing a defect in an engine component that manifests itself by a set of Abnormal Observations. An engine might have multiple defects so a Confidence is calculated estimating the relative likelihood that each Possible Cause detected is actually present. Each Possible Cause may be related to multiple Suggestions.
PRICE KEY	An identifier of pricing and commission terms that Predictive Fleet Technologies enters into the Price Key table. (New) EnginePolygraph customers who supply a Price Key name to the system will obtain the terms and prices that Predictive Fleet Technologies has input to the Price Key table in agreement with the distributor.
Report Selection	Parameter selected from a pull-down list to specify the report desired from the signature: Standard (Assessment), Diagnostic (soon-to-be-released Causes and Suggestions for observed Abnormal Engine 'Behavior', or none (when storage of the signature is all that is desired for the submitted signature.
RPM	RPM is the number of revolutions per minute of the engine while the signature is being recorded in the file.
	1. Some engines (many diesel engines) have an electronic speed control by means of a computer attached to the Electronic Control Module (ECM). If you use such a
RPM Source	capability, enter the rpm that you had set as the controlled engine speed in the RPM
	value AND choose 'Set RPM' from the RPM Source pulldown.
	2. If you have more than two channels on your PicoScope and an induction clamp to

enclose a spark plug wire or COT (depending on your engine's technology), you will want

to leave the RPM value blank or 0 AND select 'Trigger file' from the RPM Source pulldown. Then chose a channel (usually 'C') on the PicoScope for the input of the induction clamp cable and set the value for that Channel on the screen to 'trigger'. In such a case, the signal will be analyzed to achieve an accurate RPM. 3. If you have an accurate tachometer, you may input the RPM value you will run the engine at while the data is being collected. It will be important that the value you provide will be within 15% of the actual value or you may get an erroneous analysis. In this case, select 'Estimate' from the RPM Source pulldown. 4. If you do not have an accurate RPM value, leave the value field blank or 0 AND select 'None' from the RPM Source pulldown. In this case, an estimate will be provided from the Condition option you select [Load, Idle, c-c (Cold-crank)] and the number of cylinders in the engine. Often this estimate is accurate enough to give a good analysis, but this is the least reliable of the options.		
The EP score assigned to the relative intensity of vibrations in a low frequency range in the crankcase.		
The EP score assigned to the relative intensity of vibrations of high frequencies in the crankcase.		
This box allows the user to specify an email address as the destination of the PDF Assessment report.		
SenX® is the registered trade name of the company that manufactures the FirstLook® sensors.		
Serial Number is the engine manufacturer's serial number provided by the Engine Angel Engine table IF the Owner is an Engine Angel subscriber and the Vehicle is registered in that Engine Angel Engine table.		
A signature is the name of two or more simultaneous waveforms taken with FirstLook® sensors from a specific engine under given operating conditions in one file.		
The signature index is a set of attributes describing the vehicle, owner, operating condition with date and location to allow easy retrieval in the future.		
The monthly rate (in US dollars) that is charged against your credit card for access to basic signature management functions. Assessment reports are optional for a fee.		
Temp is short for the temperature of the engine coolant at the time the signature is taken. If he input value is less than 105, it will be interpreted as °C, else °F.		
Each Possible Cause may be assigned multiple Suggested Remedies. A Suggested Remedy may correct or influence more than one Possible Cause and hence, multiple Abnormal Observations.		
The number of 'free' months of subscription that the customer can use EnginePolygraph without paying the subscription fee.		
The cylinder number (according to the OEM's engine block layout) of the cylinder you have placed a trigger to identify that cylinder on the EP graphics and the firing sequence		

Rumble

Scrape

to:

SenX

Send Assessment

Serial Number

Signature index

(Subscription rate)

TEMP or Engine Temperature

Suggestion

Trial Months

Trigger Cylinder

USER

the PicoScope.

Signature

Subscr

 3 2 2

of the test engine. You must also identify the channel that contains the trigger signals to

User is the identifier of a person authorized to access the EnginePolygraph system. Users

are added and authorizations given by a specific group of users called Administrators.

Upload File

The Choose File button prompts a window for the search of the User terminal's attached storage devices to identify the signature recorded by the oscilloscope. The result is to store the selected file in the EnginePolygraph database for later reference.

VEHICLE

Vehicle is the identifier of the chassis containing the engine that is being serviced and whose signature is being recorded. In the case of a fleet vehicle, is commonly the identifier painted on the vendor or door of the vehicle; in the case of personal automobiles or pickups, it might be the license plate number or other unique identifier.

Appendix 2: PicoScope Settings for Engine Polygraph Signatures.

The PicoScope software controls many important settings for capture, display, and storage of your FirstLook® Signature data. The key parameters are shown in Figure A2.1. This document is focused on use of the PicoScope to obtain Engine Polygraph® Assessment reports on engine physical integrity.



Figure A2.1. Image of the PicoScope screen with settings that we recommend signatures with Load Condition.

The values of the PicoScope screen with settings that we recommend for signatures taken at Condition = Load (over 1000 rpm) are shown in Figure A2.1. above (Number of Samples = 40 kS and sweep duration = 500 ms). However, if you are running your engine at Idle (400 - 1000 rpm), cut the Number of Samples from 40 k to 20 kS per second and increase the sweep time to 1 s. And for cold-crank (usually less than 400 rpm) set Number of Samples = 20 kS and sweep = 1.5 s.

We recommended that you save the settings for **each** Condition as a file on your PC. When you download the '[**condition**].pssettings' where [Condition is one of (c-c, Idle, Load) and store it (**Save As**) somewhere on your PC, you can start your PicoScope6 Automotive application and chose **File > Open** to select the downloaded [condition].settings. This will import the settings to your session.

We now will discuss why we provide the recommendations that we do and how you may modify them as needed. This is not meant to replace your use of the PicoScope6 Automotive documentation.

The settings and preferences screens are where you control some of these the settings. First, let's look at the 'preferences':

The time interval displayed on the screen can be controlled on the Tools > Preferences >
 General screen. The choices are to set the time interval across the screen (Total collection time),
 or to set the total sweep interval in terms of the time between the 10 equi-distant vertical bars
 (Times per Division).

This parameter is critical for obtaining a meaningful report since the software that generates the signature Assessment report requires at least 2.7 cycles of all cylinders firing. For a 4-stroke engine, that is 5.4 rotations of the crankcase. If the engine is running at 1500 rpm, one 4-stroke cycle takes 80ms, so the time (duration) on the screen should be 216 ms, and longer if the engine is running slower. We recommend 500 ms which should be acceptable until about 650 rpm (typical idle). Similarly for c-c and Idle.

2. The **Preferences > General** screen also controls the Waveform Buffer. This parameter controls the number of waveforms that may be stored in the buffers.

Although having up to 32 buffers is very useful for some analyses, we recommend that you set it to 1 for signatures that are to be analyzed by the EnginePolygraph application. The reason is to make it easier to save the signature on your PC and then sending it to EnginePolygraph for analysis. EnginePolygraph cannot take the set of signatures as a group for analyses, but can only process one at a time.

For intermittent engine problems, you may want to look at 32 waveforms to find one that captures the abnormality of concern. Then save that one waveform under an unique name to be uploaded by EnginPolygraph.com for analysis.

Figure A2.2. shows the layout of the Preferences > General screen. You may want to review the settings on the other Preference tabs also.




Figure A2.2. The **PicoScope6 Tools > Preferences > General** screen for controlling important parameters to get EnginePolygraph Assessment reports on engine physical integrity.

Other parameters that can be stored in your Default settings can be altered immediately below the menu bar. Under Tools, is the **sample frequency**. See Fig. A2.3. We recommend about 40kS (40,000 samples per second) to get good detail of what is going on in the engine. We do not have any properties that we consider in the analysis that interpret data at a higher frequency, but higher frequency of sampling increases the file size and slows down the ability of the PC to do any other work. For Idle and c-c, use the values described earlier.

On the next row under the menu bar, the voltage range for each channel is displayed; it can be changed and stored in the Default settings.

For channel A (which we use for the exhaust), we recommend +/- 10 volts. In some cases, this is not enough. If the voltage actually exceeds the range, the data file will record the value as Inf

For channel B (which we usually use for the crankcase sensor), we recommend +/- 5 volts. Usually the voltage (pressures) are lower in the crankcase than in the exhaust.




Figure A2.3. These are the Startup Settings on the PicoScope6 File > Setup Settings Menu.

Once you have selected the settings that you want to use going forward, we recommend that you click 'Save User Default Settings' to save them. But we also recommend that you click on 'Load User Default Settings on Startup' to simplify future use of this PC for use with EnginePolygraph. Below is a short description of the behavior for each of the menu items of the **File > Startup Settings** list.

- 1. The 'Save Settings As ...' allows you to save the settings under a unique name in a specific directory of your choice for future reference.
- 2. 'Save User Default Settings' is used to save the current settings as your Defaults in the future.
- 3. 'Reset User Default Settings' can be used to go back to the last saved Default Settings in case you have changed the settings during the session, but now want to go back to the Default Settings.
- 4. Use 'Load User Default Settings' to read the Default Settings and use them going forward.
- 5. 'Restore Last Session' will reload the settings from your previous session.
- 'Load Factory Settings' will reset the current settings to the values from the download of your PicoScope software.

- 7. Checking 'Load User Default Settings on Startup' will cause the system to load the default settings in the future on start-up.
- 8. Or you may check 'Restore Last Session on Startup', if that is what you prefer.

If you are not fully trained on the use of your PicoScope, you will want to use the Pico literature and Help screens to get full value from your investment. The material above is presented to focus on the capabilities important for using your PicoScope to obtain SenX signatures for EnginePolygraph Engine Integrity Reports.

We wish you great success on the use of your PicoScope and the Engine Polygraph® (www.EnginePolygraph.com). Engine Polygraph is a product of Predictive Fleet Technologies, Inc.

Contact Us

Learn more about us at www.EnginePolygraph.com, and www.EnginePolygraph.com, and www.EnginePolygraph.com,

For specific questions about the Engine Polygraph® functionality, please email us at support@PredictiveFleetTechnologies.com or call us at 1-833-364-2645.

No part of this publication may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, to parties outside your organization as a customer or customer prospect without the prior written permission of PFT.

¹ SenX is a trademark of SenX Technology, Inc., Midland. MI

²Predictive Fleet Technologies®, PFT, Engine Angel®, and Engine Polygraph® are trademarks of Predictive Fleet Technologies, Inc., Inc., Midland, MI